




Fig. 1






Program list

```
1:function getSelectedText(s1)
2: {
3:     tr=sl. createRange();
4:     return tr. text
5:}
```



Program list

```
1: function getLinkTagText (anchor)
2: {
       return anchor innerText
3:
4:}
5:
6:function getLinkText(x, y)
7: {
       tr=document. body. createTextRange();
8:
       tr. moveToPoint(x, y);
9:
       changeTaxtRange(tr);
10:
11:
       return tr. text;
12:}
```



This dog barks at postmen, because he enjoys their frightened faces. rightchar2 centerchar2 eftchar2

rightchar1

centerchar1

eftchar1

Fig. 7

Program list

```
1: function getTracedText(x, y, up)
2: {
       tr=body.createTextRange();
3:
       tr. moveToPoint(x, y);
4:
       if (up==true)
5:
6:
                centerchar1=tr. text;
7:
                tr. move (CMOVE);
8:
                rightchar1=tr. text;
9:
                tr. move (-2*CMOVE);
10:
                 leftchar1=tr. text;
11:
                 i=PMOVE;
12:
                while (i<Um)
13:
14:
                         tr. moveToPoint(x, y-i);
15:
                         centerchar2=tr. text;
16:
                         tr. move (CMOVE);
17:
                         rightchar2=tr. text;
18:
                         tr. move (-2*CMOVE);
19:
                       leftchar2=tr. text;
20:
                        if (centerchar1!=centerchar2|
21:
                        |rightchar1!=rightchar2|
                        |leftchar1!=leftchar2)
                                   break:
22:
                          i+PMOVE
23:
24:
25:
                 tr. move (CMOVE);
26:
        changeTextRange(tr);
27:
        return. text;
28:
29:}
```




Fig. 9




Fig. 10




Fig. 11




Fig. 12

